

- Thoro LED Driver
- U-OUT 24 V
- IP 64 Dry or Damp
- Suitable for Class I luminaire
- Universal Voltage: 100-277V~, 50/60Hz
- Output Voltage: 24V $\overline{-}$
- Output Power: 60W
- Output Current: 2.5A Max.
- 0-10V Dimming

### This Driver Will Operate The Following LED Modules:

LED module designed to accept constant voltage input of 24V and has a maximum input current of 2.5A.

Note: Constant voltage modules are usually with on-board circuit besides LEDs, the module & driver compatibility check is preferred before any installation. Some of the modules with big input capacitance may lead to the incompatibility with the dimmable driver, contact Fulham for further assistance.

### General Specifications

Input Voltage	100-277V~, 50/60Hz
Input Current	0.71A @100VAC, 0.26A @277VAC
Input Power	72W
Power Factor	>0.9
THD	<20%
Efficiency	>85% @120VAC Full Load
Driver Type	Constant Voltage
Output Voltage Range	24V $\overline{-}$
Output Current	2.5A Max.
Output Power	60W
Number of Output Channels	1 Channel
Dimming Controller Type/Dimming Range	0-10VDC
RFI/EMI	FCC Part 15B Consumer, EN55015
Output Type	Class 2, LVLE
Sound Rating	A
Protections	Input Surge Protection Input Current Protection Output Short Circuit Protection Output Open Circuit Protection Output To Ground Short Protection Overload Protection
Max. Case Temperature	89°C(192.2°F)
ta	-20°C to 60°C(-4°F to 140°F)
Service Life	50,000 hours @Tc 76°C(168.8°F)
Approvals / Class	CE, cURus, Class2, IP 64, RoHS, Dry or Damp Locations, Type HL, Type TL, LVLE
Warranty	5 years

Figure 1




Figure 2




Figure 3




Figure 4






Figure 5



### Mechanical Data

LENGTH	WIDTH	HEIGHT
241mm	43mm	31mm
9.49"	1.69"	1.22"




Case Tolerance=±0.02"

Fulham extends a limited warranty to the original purchaser or first user for a period of 5 years @ Tc 76°C from the date of manufacture when properly installed and operated under normal conditions of use. For complete terms and conditions, please refer to the Warranty Center at [www.fulham.com](http://www.fulham.com). Specifications subject to change without notice.

**Wiring Diagrams**

INPUT SIDE	LENGTH
WHITE	300mm [11.8"]
BLACK	300mm [11.8"]

OUTPUT SIDE	LENGTH
RED	300mm [11.8"]
BLUE	300mm [11.8"]
PINK	300mm [11.8"]
PURPLE	300mm [11.8"]



Note: Pink or Gray dimming wire provided. use interchangeably.

**NOTE :**

- 1.This Driver Must Be Installed By A Licensed Electrician
- 2.This Driver Must Be Grounded