

4

3

2



1

REVISIONS

ZONE	REV.	DESCRIPTION	DATE	APPROVED
	1.0	INITIAL RELEASE		

BREAK LINE A


BREAK LINE B

TOP VIEW
SCALE 1:1BROKEN VIEW OF TOP VIEW
SCALE 2:1SIDE VIEW
SCALE 2:1

BOM

ITEM	DESIGNATION	DESCRIPTION	QTY
1	TM03LN05XX-503	LED ARRAY	6
2	P1 (+)	Red Stranded Hook-Up Wire, 22 AWG, 170 mm (including 7mm on Left end for wire stripping)	1
3	P1 (-)	Blue Stranded Hook-Up Wire, 22 AWG, 170 mm (including 7mm on Left end for wire stripping)	1
4	OUTPUT/INPUT (+)	Red Stranded Hook-Up Wire, 22 AWG (75 mm Center-to-Center)	5
5	OUTPUT/INPUT (-)	Blue Stranded Hook-Up Wire, 22 AWG (75 mm Center-to-Center)	5
6	OUTPUT (+/-)	RESISTOR	1

CCT Matrix:	
xx	CCT
65	6000 - 7000K
57	5300 - 6000K
50	4700 - 5300K
45	4200 - 4700K
40	3700 - 4200K
35	3200 - 3700K
30	2900 - 3200K
27	2600 - 2900K

APPROVALS	DATE	 12705 S. Van Ness Ave. Hawthorne, CA 90250 tel.: 1-323-779-2980, fax: 1-323-754-9060			
DRAWN EDWIN REYES	05/09/2013				
CHKD MONICA ALEMAN	05/09/2013	TITLE 6x3 LED Linear Module String Assembly (350 mA CC, 6.6W, 75 mm Center-to-Center)			
ENGR ALVARO GARCIA	05/09/2013				
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS		PART NO. B	SIZE TM03LN05XX-G0	DWG NO. 1.0	REV 1.0
DO NOT SCALE PRINT		SCALE	SHEET	1 OF 1	

THIS DRAWING IS THE PROPERTY OF FULHAM Co., INC AND CONTAINS PRIVILEGED OR CONFIDENTIAL INFORMATION. YOU WILL NOT DISCLOSE, USE, DISSEMINATE, DISTRIBUTE OR COPY THIS DRAWING FOR PURPOSES OTHER THAN WHAT IT IS INTENDED FOR.

4

3

2

1


4

3

2

1

REVISIONS				
ZONE	REV.	DESCRIPTION	DATE	APPROVED
	1.0	INITIAL RELEASE		




ISOMETRIC VIEW

BOM

ITEM	DESIGNATION	DESCRIPTION	QTY
1	TM03LN05XX-503	LED ARRAY	6
2	P1 (+)	Red Stranded Hook-Up Wire, 22 AWG, 170 mm (including 7mm on Left end for wire stripping)	1
3	P1 (-)	Blue Stranded Hook-Up Wire, 22 AWG, 170 mm (including 7mm on Left end for wire stripping)	1
4	OUTPUT/INPUT (+)	Red Stranded Hook-Up Wire, 22 AWG (75 mm Center-to-Center)	5
5	OUTPUT/INPUT (-)	Blue Stranded Hook-Up Wire, 22 AWG (75 mm Center-to-Center)	5
6	OUTPUT (+/-)	RESISTOR	1

CCT Matrix:	
xx	CCT
65	6000 - 7000K
57	5300 - 6000K
50	4700 - 5300K
45	4200 - 4700K
40	3700 - 4200K
35	3200 - 3700K
30	2900 - 3200K
27	2600 - 2900K

APPROVALS	DATE	 <small>12705 S. Van Ness Ave. Hawthorne, CA 90250 tel.: 1-323-779-2980, fax: 1-323-754-9060</small>						
DRAWN EDWIN REYES	05/09/2013							
CHKD MONICA ALEMAN	05/09/2013							
ENGR ALVARO GARCIA	05/09/2013							
UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN MILLIMETERS		TITLE 6x3 LED Linear Module String Assembly (350 mA CC, 6.6W, 75 mm Center-to-Center)						
		<table border="1"> <tr> <th>PART NO.</th> <th>SIZE</th> <th>DWG NO.</th> <th>REV</th> </tr> <tr> <td>B</td> <td>TM03LN05XX-G0</td> <td></td> <td>1.0</td> </tr> </table>	PART NO.	SIZE	DWG NO.	REV	B	TM03LN05XX-G0
PART NO.	SIZE	DWG NO.	REV					
B	TM03LN05XX-G0		1.0					
DO NOT SCALE PRINT		SCALE 3:2						
		SHEET 1 OF 1						

THIS DRAWING IS THE PROPERTY OF FULHAM Co., INC AND CONTAINS PRIVILEGED OR CONFIDENTIAL INFORMATION. YOU WILL NOT DISCLOSE, USE, DISSEMINATE, DISTRIBUTE OR COPY THIS DRAWING FOR PURPOSES OTHER THAN WHAT IT IS INTENDED FOR.

4

3

2

1