	TECHNICAL DATA SHEET : ELECTRONIC BALLAST					
E	Project : STANDARD			Type : PROFESSIONAL		
					ESSIONAL	
		Model No : HPY-240	)-224-115-0AF	Remark :		
Model : 2 x 24W BALLAST				Input Characteristics		
				1 Voltage (Un)	240 Vac	
				2 Operating Voltage Range	140 ~ 277 Vac	
				3 Frequency (Hz)	50 / 60 Hz	
				4 Current (A)	0.23A	
				5 Wattage (W)	52W	
	272.0			6 Power Factor (PF)	> 0.98 (PPFC)	
			31.0	7 Current Harmonics (Athd)	) < 10%	
-		282.0		8 Over Current Protection	Yes	
				9 Surge Withstanding Capa	acity Yes	
				10 Over Voltage Application	@ 320Vac 48Hrs & @ 360Vac 2 Hrs	
Output Characteristics Mechanical Details					nical Details	
1	Lamp Types		F24-T5	1 Weight	160 gm	
2	Number of Lamps		2	2 Case Dimensions		
3	Lamp Connection		Dual Series	Length W/Mount	282 mm	
4	Single Lamp Operation		No	Center to Center ( CTC )	) 272 mm	
5	Lamp Current		0.295A	Width	24 mm	
6	Operating Frequency		<u>&gt;</u> 40 KHz	Height	21 mm	
7	Ignition Method	150	RS	3 Case Material	Metal Case	
Ballast Characteristics				4 Wiring Diagram	On Screen	
1	Lamp Current Crest Factor (C	CF)	<u>&lt;</u> 1.70	5 Input / Output Connections	Connectors Push Type	
2	Ballast Efficiency (BE)		<u>&gt;</u> 86%	6 Wires Length & Colors		
				Input ( White & Black )	N/A	
Protection Features				Output ( White )	N/A	
1	Deactivated Lamp		Yes	Output ( Gray )	N/A	
2	Restart or Latching		Latching	7 Potting	N/A	
Environmental Operating Details				Notes	t anopially designed	
	Vinimum Lamp Starting Temperature 0°C			A High power factor Electronic ballast specially designed for heavy duty use.		
	Max. Ambient Temperature		50°C			
3	Max. Case Temperature (Tc) 75°C			Slim Design High Voltage withstanding capacity.		
				High Surge withstanding capacity Long Life.		
0		ng Information	0	High Durability Lamp will not Shut down @ high Voltage		
Sr	Model Number	Description	Case Lot	Automatic restart after lamp replace	ement	
1	HPY-240-224-IT5-OAF	2x24W T5 <10% THD	50			
nstall	ed and operated under normal cond			of 2 years from the date of manufacture when e reference the Fulham product catalog	DOC NUMBER :- FULTDS035 REV :- 1.2	
(www.fulham.com) Due to a program of continuous improvement, Fulham reserves the right to make modifications or variations in design or construction to the equipment described. © Fulham Company Limited, All Rights Reserved.					REV :- 1.2 Date :- 01.04.2013	